GUSTAFS GPOD



THE MOBILE MEETING ROOM

Gustafs Gpod is the truly mobile workspace for comfort and privacy. A space for undisturbed working and meetings up to four persons. The world class sound insulation blocks the sound and your conversations can absolutely not be heard from the outside - privacy proof! We use Gustafs unique Nano technique for a superb interior sound absorption and the high capacity air refreshment system is so silent you won't notice it. That's comfortable working and perfect for tasks that require your concentration or when making important decisions.





WORLD WIDE REFERENCES

After years of international business experience, we know how to support, drive Sweden, it's natural for and take care of the whole process for optimal customer satisfaction. Contracting Gustafs is a reliable.



GUSTAFS

Surrounded by the beautiful landscape in central us to take care of the environment. That's why our factory has a pro-active use renewable energy only!



SUSTAINABILITY

Gustafs Gpod is sturdy, it's mobile and it's flexible regarding placement and furniture layouts for all your future needs and an overall long lifetime. The surface environmental program and materials used in our Gpod contain 94% recycled materials, with 17% coming from post-consumer goods. In case you care, or have a LEED or BREEAM building!



FIRE

For decades Gustafs products have been synonymous with fire safety . All Gpods have non-combustible surfaces, A2-s1,d0. For your safety. No sprinklers needed!



ACOUSTICS


We always design for eyes but also for ears and have for example supplied the world's most famous concert halls and royal music academies. Using our knowledge from large architectural projects, we have created the most comfortable and private small workspaces for your office.

FEATURES



WORLD CLASS ACOUSTICS

Due to our unique Nano perforation we can combine beautiful wooden surfaces with great sound absorbing coefficients for comfortable conversations, face to face or by video. The superb sound blocking qualities makes our pod private proof and the super silent high airflow ventilation system completes the total acoustic experience – for many hours of relaxed and joyful working.



FLEXIBLE PLACEMENT

If it isn't mobile, it's not a pod. With integral wheels, the Gustafs Gpod is easily moved around with a precise positioning, and you can simply and quickly reposition it anytime you want. The power inlet options are multi-universal and the double doors do not only allow an easy entrance, there is no right or left version of our Gpod. Place it anywhere you want!



DESIGN

Our Gpod is the result of more than 100 years experience of Scandinavian wood design. The design is simple and timeless, but the robust timber frame design gives it a unique and exclusive appearance and the transition from the wooden frame to the glass is completely seamless. The design is underlined by only using the best natural materials and we craft them with care, for an outstanding quality and finish.



PRIVACY PROOF

The soundproof qualities of Gustafs Gpod are at least as important as the comfortable acoustics inside the Gpod. In fact, you can place the Gustafs Gpod next to a workstation in the middle of an office and people working next to the Gpod will not be able to hear the discussions taking place inside. Gustafs Gpod is both a private workspace and a place to seal the deal. Both a room for important thoughts and important decisions.



THE INTELLIGENT POD

Our Gpod is equipped with the Ochno Technology System. Lights and fans are automatically controlled by a sensor so that they adapts to how the pods are used. These parameters can also be set and adjusted for when no one is in the pod, when people are inside or with delays after usage. Automatic control can be over-ruled by app or direct with the elegant dimmers on the pod's inner walls. Gpod is the first intelligent cellular workspace in the world. A modern pod, for modern workspaces.



FLEXIBLE LAYOUTS

The Gpod is available with many configurations and the good thing is that you can change it any time, in case your needs change over time. Our pod is quickly transformed from conference room, to meeting room, to coffee room or a working room for one or two. Of course all lay-outs have height adjustable tables and seating solutions, in case you appreciate to vary your working position. We know the value of good ergonomics and active working!

LAYOUTS




1 WORKING | SOLO

TABLE MEDIUM - Height adjustable TABLE WIDE - Height adjustable BAR STOOL - Height adjustable OPTION - BAR STOOL in Premium Vegetable Tanned Leather




2 WORKING | BACK TO BACK

2 TABLES MEDIUM - Height adjustable 2 TABLES WIDE - Height adjustable 2 BAR STOOLS - Height adjustable OPTION - 2 BAR STOOLS in Premium Vegetable Tanned Leather




2 WORKING | CONFERENCE

TABLE MEDIUM - Height adjustable 2 BAR STOOLS - Height adjustable OPTION - 2 BAR STOOLS in Premium Vegetable Tanned Leather




2 WORKING | SIDE BY SIDE

LONG TABLE - Height adjustable 2 BAR STOOLS - Height adjustable OPTION - 2 BAR STOOLS in Premium Vegetable Tanned Leather




2 MEETING | LOUNGE

CENTER TABLE MEDIUM
2 LOUNGE SOFAS
OPTION - 2 LOUNGE SOFAS in Premium
Vegetable Tanned Leather




2 MEETING | COFFEE

CENTER TABLE COFFEE
2 LOUNGE CHAIRS
OPTION - 2 LOUNGE CHAIRS in
Premium Vegetable Tanned Leather




2 MEETING | FACE TO FACE

CENTER TABLE MEDIUM
2 LOUNGE CHAIRS
OPTION - 2 LOUNGE CHAIRS Premium
in Vegetable Tanned Leather



4 MEETING | FACE TO FACE

CENTER TABLE MEDIUM
4 LOUNGE CHAIRS
OPTION - 4 LOUNGE CHAIRS in
Premium Vegetable Tanned Leather



4 MEETING | CONFERENCE

CENTER TABLE LARGE 4 BAR STOOLS - Height adjustable OPTION - 4 BAR STOOLS in Premium Vegetable Tanned Leather

FURNITURE DIMENSIONS CAN BE FOUND ON PAGE 6-7

SURFACES

FRAME









ASH

WALNUT

OAK

CHERRY

CEILING INSIDE











WALNUT

WALLS INSIDE















ASH

WALNUT

OAK

CHERRY

BLACK

WHITE

NANO

WALLS OUTSIDE



















ASH

WALNUT

OAK

CHERRY

BLACK

WHITE

PRINT

NANO

EDITIONS & SPECIFICATIONS

BUSINESS EDITION

Magnetic soft close door mechanism

Full width saloon doors

Stainless steel threshold cover list

Black door handles with skin

Tripple LED lights

Adjustable ventilation speed

Detector for motion and air quality automatic high/low for lights and air refreshment

Universal right and left model -Saloon doors and power in left/right/ceiling

Integral XL wheels for real mobility

MBF ready (Mobile By Forklift)

Easy access leveling system

2 USB-C sockets (power, LAN, Video, etc)

Integral wall suspension system in both walls and in 2 levels

Table in the same wood design as the walls and ceiling

CONNECTIONS

2 extra USB-C sockets, recommended for lay-outs for 4 persons

Gpod Intelligent workspace by OCHNO connected (requires access to WiFi), yearly fee, separate license agreement

AIR QUALITY & GREEN

Super silent high capacity air refreshment system

Very low emitting surfaces, interior and exterior

FSC wood

Plastic free insulation

PRIVACY

Sound Proof Privacy Glass

Dark Privacy Glass

ACCESSORIES

Clothes hanger

VGA Video Conference Screen Adapter for wall mounting

Type Gustafs Gpod with acoustic Nano outer wall surfaces or

Gustafs Gpod with acoustic Linear outer wall surfaces

Capacity Lay-outs available for 1, 2 or 4 persons. For lay outs see www.gustafs.com

Outer dimensions Total footprint: 2425x1250 mm

Total height: 2380 mm

Inner dimensions Floor space: 2000x1220 mm

Standing height: 2010 mm

Mobility By integrated wheels, can be rolled over 20 mm thresholds.

By forklift - can be raised 100 mm from the floor. By forklift - truly self-supporting construction.

Placement Universal placement for Centre, Wall, Left Corner and Right Corner

Weight 890 kg

Front doors 2 saloon doors 2000x1007 mm, opening independently and 180° to full

width. Magnet soft close. Sound proof glass, tempered, privacy dark tone.

Backside glass 1983x1999 mm, sound proof glass, tempered, privacy dark tone.

Surfaces All veneers are real wood veneer in architectural quality. Other veneers

than the standards below on request only.

Front Frame: Ash /Oak / Cherry / Walnut Back Frame: Ash / Oak / Cherry / Walnut

Outside walls: Ash / Oak / Cherry / Walnut / White CPL / Black CPL Inside walls: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Inside ceiling: Ash / Oak / Cherry / Walnut

Inside flooring: Anthracite Grey

Surface treatment Triple UV coating approved for cleaning with up to 70% alcohol products /

Pigmented Triple UV coating approved for cleaning with up to 70% alcohol

products. The flooring is antistatic, dirt resistant and acoustic.

Veneer Direction Along length

Fixture system For the wall and ceiling claddings Gustafs Capax is used, consisting of

aluminium profiles gripping the full length of the sides of the panels,

levelling and aligning the panels.

Intelligent sensor Measures light, air quality and motion. Connected to and automizing the lightning and

ventilation, all by OCHNO Operated.

Ventilation Oversized airflow of 82,0 l/s (298,8 m3/h), achieved with 6 low speed whisper fans. Auto

matic/manual rpm control and sound proof in- and outlets.

Air inlet Easy access regardless the placing of the Gpod for cleaning and

maintenance

Power input 230 V, enters from left, right or the roof. This can be changed anytime.

Sockets, output 2 x USB-C (standard)

4 x USB-C (extra)

Lightning 3 x LED spotlights, automatic/manual control, dimmable.

Wheels 4 pcs, diameter 125 mm, swing.

Adjustable feet 4 pcs, adjustable from 20 – 100 mm height, access from the inside.

Reaction to Fire Up to A2-s1,d0 (EN 13501-1)

(Valid for the inside and outside claddings, including the fixture system,

the veneered surface and the surface treatment.

Resistance to Fire Up to K1-10/K2-10 (EN 13501-2)

Acoustic absorption Outside and Inside wall: Gustafs Nano w 0,85-B NRC 0,9

Outside wall: Gustafs Linear w 0,70-B NRC 0,8 Inside ceiling: Gustafs Stripes RP8-C20 w 0,65-C NRC 0,7 Inside flooring: Sound absorbing carpet w 0,30-D NRC 0,45

Sound proof The sound insulation of Gpod is great and they can be placed next to

other workstations in the middle of an office and people working next to the pods will not be able to hear discussions taking place in them.

Conversations inside Gpod can be made 100% discrete.

We prefer not to give out the results of sound insulation measurements done to our product. At the moment, there isn't a standardized test for measuring the sound insulation of small enclosed spaces like Gpod. The sound insulation of a Gpod also varies depending on measuring sound coming out from the Gpod and sound entering the Gpod and there are no standardized tests covering this phenomenon. That is why existing

acoustical ratings are not a good reflection of the experience using a Gpod. We recommend you try a Gpod in order to evaluate whether our products'

sound insulation is sufficient to meet your needs.

DoP Available

LEED TVOC approved emissions (EN ISO 16000-9)

Formaldehyde approved emissions (EN 717-1)

No added urea formaldehyde

Recycled Material Wall materials in 17% Post Consumer

Certified Wood FSC available, Certificate Code: SCS-COC-005137

EPD available

Production Site City: Gustafs /Country: Sweden

Life time expected > 50 years

BREEAM TVOC approved emissions (EN ISO 16000-9)

Formaldehyde approved emissions (EN 717-1)

No added urea formaldehyde

Recycled Material Wall materials in 17% Post Consumer

Certified Wood FSC available, Certificate Code: SCS-COC-005137

EPD available

Production Site City: Gustafs / Country: Sweden

Life time expected > 50 years

TABLES

Wall suspended table

Medium

Single working for 1 person, 400x700 mm, facing the side wall(s).

Adjustable height: 760 mm for chair or 1020 mm for standing or bar stool,

the table can be used on both the left or right wall.

Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

Wall suspended table

Wide

Single working for 1 person, 400x900 mm, facing the side wall(s).

Adjustable height: 760 mm for chair or 1020 mm for standing or bar stool,

the table can be used on both the left or right wall.

Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

Wall suspended table Facing the back glass

Side by side working for 2 persons 450x1999 mm, facing the back glass. Adjustable height: 760 mm for chair or 1020 mm for standing or bar stool. Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

Centre table Medium Meetings or lounge for 2 or 4 persons, centre placement against the back

glass. For sitting, standing or bar stool use. Interval free height adjustable pneumatic

mechanism (650-950 mm). Unfolded 540x700 mm, folded 280x700 mm. Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

Centre table

Large

Up to 4 Meeting, conference, 900x700 mm centre placement against the back glass. Table height: 1020 mm for standing or bar stool meetings. Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

Centre table Coffee 2 Meeting, 600x500 mm centre placement against the back glass. Table height: 690 mm for lounge stool meetings.

Table top surface: Ash / Oak / Cherry / Walnut / White CPL / Black CPL

Table support: Black

LOUNGERS & BAR STOOLS

Lounger Steel frame. Moulded polyurethane foam padding. Upholstered in fabric, black or grey

or leather. Please contact us for the colour chart.

Data per left or right lounger unit

Overall height: 750 mm
Overall width: 990 mm
Overall depth: 690 mm
Weight: 20 kg

Lounge chair Steel frame. Moulded polyurethane foam padding. Upholstered in fabric, black or grey

or leather. Please contact us for the colour chart.

Overall height: 745 mm
Overall width: 580 mm
Overall depth: 660 mm
Sit height: 390 mm
Weight: 12 kg

Black coated steel construction with ergonomic seat diameter 380 mm. Turnable

360°. Upholstered in fabric, black or grey or leather.

Sit height: Free adjustable from 600 to 800 mm.

Foot rest included.

Total depth: 450 mm
Total width: 380 mm
Weight: 8,9 kg

Gustafs Scandinavia AB Stationsvägen 1 SE-783 60 Gustafs, Sweden Tel: +46 (0)243 79 20 20 Email: info@gustafs.com www.gustafs.com

